Specification	Details
Interface	• 1× USB-C Port for Power Supply • 1× Gigabit WAN/LAN Port • 1× Nano SIM Card Slot • 1× Micro SD Card Slot • 2× TS-9 Antenna Ports
Button	Power On/Off
Power Supply	• 4680 mAh Rechargeable Battery • Charge Voltage: 5V-3A, 9V-2A, 12V-1.5A
Network Type (US Version)	• 5G: N2, N5, N25, N41, N66, N71, N77 • 4G: B2, B4, B5, B7, B12, B13, B14, B25, B29, B30, B38, B41, B46, B48, B66, B71

Network Type (EU Version)	• 5G: N1, N3, N5, N7, N8, N20, N28, N38, N40, N41, N75, N76, N77, N78 • 4G: B1, B3, B5, B7, B8, B20, B28, B32, B38, B40, B41, B42, B43 • 3G: B1, B5, B8
Data Rates	• 5G Downlink: 3.4 Gbps, Uplink: 900 Mbps • LTE/4G Downlink: 1.6 Gbps, Uplink: 200 Mbps
Dimensions	135 × 40 × 20.4 mm
Antenna	Internal Antenna
Micro SD Card Reader	Up to 2 TB (*SD card sold separately)
Screen Display	1.44 inch TFT Touch Screen
Wireless Standards	IEEE 802.11 a/b/g/n/ac/ax • 688 Mbps at 2.4 GHz

	• 2880 Mbps at 5 GHz • 2880 Mbps at 6 GHz
Frequency	2.4 GHz, 5 GHz, 6 GHz
Transmit Power	• 2.4 GHz: < 20 dBm • 5 GHz: < 23 dBm
Wireless Modes	• 2.4 GHz Only • 5 GHz Only • 6 GHz Only • 2.4 GHz & 5 GHz • 2.4 GHz & 6 GHz
Wireless Security	Support WPA-PSK/WPA2-PSK, Wireless MAC Filtering
DHCP	DHCP Server, DHCP Client List

VPN Support	• PPTP pass-through • L2TP pass-through • IPSec pass-through • OpenVPN • PPTP VPN • VPN Client
Certification	CE, RoHS
Package Contents	• 5G AXE3600 Mobile Router M8550 • Power Adapter • USB-C Cable • 4680 mAh Battery • Quick Installation Guide
System Requirements	Windows 11/10/8/7/Vista/XP, Mac OS, Android, iOS, Windows Phone

Power Supply	5V-3A, 9V-2A, 12V-1.5A